

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR3 "base address")AND (("secure" OR "protected") NEAR3 "base address"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L2	2509	("non-secure" OR "non secure" OR "unprotected" OR "non-protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L3	2509	L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L4	5172	("non-secure" OR "non secure" OR "non protected" OR "non-protected") WITH ("secure" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L5	505	L4 SAME ("signal" OR "flag" OR "bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L6	111	L5 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
L7	3577	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L8	1443183	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L9	3555	L7 AND L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L10	1912613	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20

EAST Search History

L11	1872	L9 AND L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L12	232162	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L13	889	L11 AND L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L14	397	L13 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L15	244	L14 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L16	60	L15 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L17	184	((("non-secure" OR "non secure" OR "non protected" OR "non-protected" OR "unprotected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L18	7054	((("secure" OR "protected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L19	90	L17 AND L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L20	90	L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20

EAST Search History

L21	1872	L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L22	4310	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L23	4030	L22 AND ("processor" OR "processing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L24	3577	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L25	1443183	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L26	41	L23 AND L24 AND L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L27	41	L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
L28	1433997	"BAR" or "base address register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:21
L29	138908	("secure" OR "protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:21
L30	265	L28 AND L2 AND L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:41

EAST Search History

Inference Search

L31	16	L26 AND L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:41
L32	1835	L29 AND L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:42
L33	624	((flag OR monitor) WITH (secure OR protected)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:44
L34	44	L32 AND L33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:44
L35	232295	(domain OR mode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:44
L36	33	L32 AND L33 AND L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:45
S1	3364	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:44
S2	10	((("4989178") or ("4521852") or ("5557771") or ("6379242") or ("4677546")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:21
S3	3366	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:22
S4	3144	S3 AND ("processor" OR "processing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:22

EAST Search History

S5	325	S3 AND "secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:24
S6	26	S3 AND ("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:24
S7	2349	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:30
S9	1292753	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:24
S10	26	S4 AND S7 AND S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:25
S11	20	"partition checking logic"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 08:44
S12	4	S10 AND S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:25
S13	2333	S7 AND S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:31
S14	1594393	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:31
S15	1207	S13 AND S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:31

EAST Search History

S16	165582	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:31
S17	556	S15 AND S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:32
S18	224	S17 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:52
S19	1	("4521852").PN.	USPAT; USOCR	OR	OFF	2005/11/15 09:34
S20	140	S18 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:53
S21	31	S20 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:55
S22	30	S21 AND "translation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:57
S23	837367	"flag" OR "bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:57
S24	29	S22 AND S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S25	26	((("4521852") or ("5491827") or ("6052763") or ("5638537") or ("5581722") or ("0481735") or ("0203208") or ("0574032") or ("9736235") or ("2176918"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 11:03
S26	2355	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56

EAST Search History

S27	1294247	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S28	2339	S26 AND S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S29	1597583	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S30	1210	S28 AND S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S31	166090	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S32	556	S30 AND S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S33	224	S32 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S34	140	S33 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S35	31	S34 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S36	30	S35 AND "translation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56

EAST Search History

S37	838739	"flag" OR "bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S38	29	S36 AND S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:56
S39	19	S38 AND "monitor mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:57
S40	19	S39 AND switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 15:59
S42	1	S40 AND "virtual memory addressing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:02
S43	0	"processor" NEAR5 "not" NEAR5 "virtual memory addressing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:03
S44	0	"processor" WITH "not" WITH "virtual memory addressing"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:07
S45	3852231	switch\$4 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 16:07
S46	36	((("6349355") or ("6282657") or ("6292874") or ("6604123") or ("0146800") or ("0157676") or ("9938073") or ("1162536") or ("1054322") or ("0260433"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:02
S47	2359	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02

EAST Search History

S48	1294594	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S49	2343	S47 AND S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S50	1598371	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S51	1212	S49 AND S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S52	166263	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S53	557	S51 AND S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S54	224	S53 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S55	140	S54 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S56	31	S55 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:20
S57	30	S56 AND "translation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02

EAST Search History

S58	839202	"flag" OR "bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S59	29	S57 AND S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 08:02
S60	878169	"flag" OR "bit"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:23
S61	2666	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S62	1330876	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S63	2649	S61 AND S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S64	1674311	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S65	1384	S63 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S66	182355	"operating system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S67	630	S65 AND S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24

EAST Search History

S68	262	S67 AND "cache"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S69	154	S68 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S70	34	S69 AND "partition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S71	33	S70 AND "translation"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:24
S72	3619	((711/163) or (711/156) or (711/145) or (711/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S73	3386	S72 AND ("processor" OR "processing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S74	2666	("non-secure" OR "nonsecure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S75	1330876	"secure"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S76	26	S73 AND S74 AND S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:28
S77	2649	S74 AND S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:29

EAST Search History

S78	1674311	"mode"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 11:29
S79	1384	S77 AND S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 12:19
S80	26	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:17
S81	6	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 12:23
S82	1	("20030101322").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:22
S83	20	"access request" WITH "signal" WITH ("secure" OR "non-secure" OR "non secure") WITH "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:17
S84	47	("non-secure domain" OR "non secure domain") AND "secure domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:52
S85	22	S84 AND "domain signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S86	20	S85 AND "modes"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S87	29523	(711/1-221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:24
S88	4	S86 AND S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:25

EAST Search History

S89	1454	("non-secure domain" OR "non secure domain" OR "non protected" OR "non-protected") SAME ("secure domain" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:41
S90	4006	("non-secure" OR "non secure" OR "non protected" OR "non-protected") SAME ("secure" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:33
S91	768	S90 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:54
S92	51	("non-secure domain" OR "non secure domain" OR "non protected domain" OR "non-protected domain") SAME ("secure domain" OR "protected domain")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:56
S93	22	S92 AND "domain signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:56
S94	4006	("non-secure" OR "non secure" OR "non protected" OR "non-protected") WITH ("secure" OR "protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:39
S95	388	S94 SAME ("signal" OR "flag" OR "bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:58
S96	74	S95 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:19
S97	52	S96 AND "request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 13:59
S98	21	"domain signal" WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:52

EAST Search History

S99	20	S98 AND ("secure" AND "non-secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S100	29636	(711/1-221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S101	4	S99 AND S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 14:46
S102	22	("domain signal" OR "domain flag" OR "domain identifier")WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:00
S103	971	("domain signal" OR "flag" OR "identifier")WITH "access request"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:39
S104	24	S103 AND ("secure" AND ("non-secure" OR "non secure"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:01
S105	40342	("protected" OR "secure") WITH ("flag" OR "indicator" OR "bit" OR "signal")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:40
S106	493	S105 AND ("non-secure" AND "secure")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 18:42
S107	5433	("non-secure" OR "non secure" OR "unsecure" OR "non protected" OR "non-protected")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43
S108	777	S105 AND S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43

EAST Search History

S10 9	159	S108 AND "domain"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:43
S11 0	7	S109 AND S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 15:44
S11 1	7	"secure" NEAR3 "translation table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 18:47
S11 2	22	((("protected" OR "secure") NEAR4 "translation table") AND (("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR4 "translation table"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 19:20
S11 3	63	((("protected" OR "secure") NEAR6 "register") AND (("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR6 "register"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 09:58
S11 4	25	S113 AND "translation table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/18 19:21
S11 5	2	("20020007456").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 08:54
S11 6	32	((("protected" OR "secure") NEAR6 "register") AND (("non-secure" OR "non secure" OR "unsecure" OR "unprotected") NEAR6 "register")) SAME ("processor" OR "CPU")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:15
S11 7	18300	(translat\$3 OR page OR segment) ADJ (table OR buffer OR directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:17
S11 8	5409614	secur\$3 OR protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:18

EAST Search History

S119	259	S117 NEAR3 S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:22
S120	10685	"TLB" OR "DLAT" OR "ATB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:24
S121	25880	address ADJ ("table" OR "buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:25
S122	126	((S120 OR S121) NEAR3 "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:27
S123	6611	(base OR origin OR start) NEAR register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:29
S124	10714	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR6 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB")AND (("secure" OR "protected") NEAR6 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:43
S125	10705	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR3 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB")AND (("secure" OR "protected") NEAR3 "table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:23
S126	144	((("non-secure" OR "non secure" OR "non protected" OR "non-protected" OR "unprotected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:44
S127	6212	((("secure" OR "protected") NEAR3 ("table" OR "buffer" OR "TLB" OR "DLAT" OR "ATB"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:44
S128	64	S126 AND S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45

EAST Search History

S12 9	33	S128 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45
S13 0	115	S122 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/19 10:45
S13 1	18300	(translat\$3 OR page OR segment) ADJ (table OR buffer OR directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 2	5410014	secur\$3 OR protect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 3	259	S131 NEAR3 S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 4	10685	"TLB" OR "DLAT" OR "ATB"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 5	25882	address ADJ ("table" OR "buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 08:56
S13 6	51163	S131 OR S133 OR S134 OR S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:08
S13 7	382	(S131 OR S134 OR S135) NEAR2 S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:10
S13 8	6611	(base OR origin OR start) NEAR register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:11

EAST Search History

S13 9	2	S137 SAME S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:12
S14 0	21	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR3 "base address")AND (("secure" OR "protected") NEAR3 "base address"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:18
S14 1	22	((("non-secure" OR "non secure" OR "non protected" OR "non-protected") NEAR5 "base address")AND (("secure" OR "protected") NEAR5 "base address"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/22 09:42
S14 2	1333376	"BAR" or "base address register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32
S14 3	1558	"base address register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32
S14 4	224	("base address register").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:32
S14 5	422	("non-secure" OR "non secure" OR "non protected" OR "non-protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:33
S14 6	2105	("non-secure" OR "non secure" OR "unprotected" OR "non-protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:34
S14 7	122589	("secure" OR "protected").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:34
S14 8	217	S142 AND S146 AND S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 07:21

EAST Search History

S14 9	197403	("processor" OR "CPU").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:37
S15 0	204028	("table" OR "buffer").clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:38
S15 1	8	S148 AND S149 AND S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:38
S15 2	.1	"20040170046"	US-PGPUB	OR	OFF	2006/10/27 09:59
S15 3	4	((("20040143714") or ("7149862") or ("7124274") or ("20040170046")).PN.	US-PGPUB; USPAT	OR	OFF	2007/02/05 10:44
S15 4	24	partition ADJ checking ADJ logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 08:44

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 10 Sep 2007, 7:54:15 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((secure and nonsecure<in>metadata) <and>
(domain<in>metadata))<and> (memory<in>metadata)
- #2 ((secure and nonsecure<in>metadata) <and>
(domain<in>metadata))<and> (memory<in>metadata)
- #3 ((secure and non-secure<in>metadata) <and> (mode and
domain<in>metadata))<and> (memroy<in>metadata)
- #4 ((secure and non-secure<in>metadata) <and> (mode and
domain<in>metadata))<and> (memory<in>metadata)
- #5 ((secure and memory<in>metadata) <and> (non-secure and
memory<in>metadata))<and> (domain<in>metadata)

[Help](#) [Contact Us](#) [Privacy &](#)

Copyright 2006 IEEE

Indexed by
 Inspec